



Asura Trench Drain Collection

Senior Living Solutions





About | Asura Trench Drain

The **Asura Trench Drain Collection** is sure to appeal to designers because of its sophisticated design. Residents and caregivers will value the safety of 100% water containment. This stunning collection easily converts for different accessibility needs and meets ADA/ANSI code compliance.

Find peace of mind when choosing Asura, whether it's for a senior living or memory care facility or even for a residential transition. Keep the resident and the staff safe with Asura, a senior living solution that provides assurance in bathing.



Find a Specification Manager

Asura Trench Drain Collection



Aesthetics

Design appeal without the industrial look



Safety

Trench drain provides 100% water containment



Adaptable

Easily convert for different accessible needs



MADE IN USA
WITH GLOBAL MATERIALS

OPTIONS



Trench Grate
Stainless Steel, White,
Powder Coated



Soap Ledges
You choose
the locations



Thresholds
Change of Level
or Vertical



Flange Configuration
Single, Dual or Straight

ACCESSORIES



Grab Bars
Stainless Steel, White,
Powder Coated,
Grib Textured



Seats
Padded HDPE
Phenolic




XST 6232 TR COL


Features & Benefits



- 1 contemporary large tile** clean etched subway tile pattern detailing promotes a warm home-like environment
- 2 flat reinforced walls** for optional accessory placement and adaptability
- 3 single or dual return flange wall system** each wall transition is clean and minimizes construction time while maximizing clear floor space
- 4 soap dishes** molded recessed soap dishes meet reach range and obstruction rules with clean styling
- 5 grab bars** Comfort Care grab bars can be powder coated and/or grip textured for safe easy use
- 6 comfort care seat** senior friendly height promotes safety and security
- 7 SureGrip™ base** textured floor enhances safety security
- 8 integral trench** integral linear trench drain technology replaces center drain showers and keeps water off bathroom floor
- 9 trench grate** stainless steel wedge wire grate - also available in powder coated white
- 10 magnetic attachment** easy and secure access to drain
- 11 underlay transition ramp** enables a clean finished floor transition to meet code
- 12 premium finish** Asura units come in two finishes, AcrylX™ and Solid Surface, both featuring a beautiful surface that is strong and resilient
- 13 installation** no slab recess required




true wall-to-wall flush
trench eliminates water spillage



Reference 303.3 Beveled.



Change of Level Entry
2010 code standards introduced the change of level threshold. This Asura COL option allows on-slab installation when the finished floor height meets the bottom of the bevel.



Reference 303.1 General.

Level Entry

2010 code standards introduced a 1/4" vertical threshold for roll in showers. With the vertical conversion option, your finished floor must come up 7/8" which leaves a 1/4" vertical compliant threshold. Although 1/4" vertical threshold is legal, we modeled a flush floor finish to emphasize the preferred finish technique.

Return flanges

- Return flange allows maximum clear floor space for shower entry
- Use to meet clear floor space requirements
- A left or right hand flange coordinates with the use of bathroom pocket door or firewall

Single Return flange

One flange is straight (valve side) and one side has return flange (seat side). Return flange is handed by the seat

Double return flange

Both sides have return flanges



XST 6236 TR COL

AcrylX Models | Available in White, Bone & Biscuit

Showers	Interior Dimensions (W x D x H)	Entry Threshold	Flange Detail
XST 3838 TR 1.125	36" x 36" x 76 ¾"	VER	RRF
XST 3838 TR COL	36" x 36" x 76 ¾"	COL	RRF
XST 4836 TR 1.125 L/R RF	48" x 36" x 76 ¾"	VER	LHF or RHF
XST 4836 TR COL 1.0 L/R RF	48" x 36" x 76 ¾"	COL	LHF or RHF
XST 5038 TR 1.125	48" x 36" x 76 ¾"	VER	RRF
XST 5038 TR COL	48" x 36" x 76 ¾"	COL	RRF
XST 6030 TR 1.125	60" x 30" x 76 ¾"	VER	SF
XST 6030 TR COL	60" x 30" x 76 ¾"	COL	SF
XST 6034 TR 1.125	60" x 34" x 76 ¾"	VER	SF
XST 6034 TR COL	60" x 34" x 76 ¾"	COL	SF
XST 6036 TR 1.125	60" x 36" x 76 ¾"	VER	SF
XST 6036 TR COL 1.0	60" x 36" x 76 ¾"	COL	SF
XST 6232 TR 1.125	60" x 30" x 76 ¾"	VER	RRF
XST 6232 TR COL	60" x 30" x 76 ¾"	COL	RRF
XST 6236 TR 1.125	60" x 34" x 76 ¾"	VER	RRF
XST 6236 TR COL	60" x 34" x 76 ¾"	COL	RRF
XST 6238 TR COL	60" x 36" x 76 ¾"	COL	RRF
XST 6238 TR 1.125	60" x 36" x 76 ¾"	VER	RRF

Entry Threshold

COL Change of level

VER Vertical

Flange Detail

RRF Double Return Flange

SF Straight Flange

LHF Left Return Flange

RHF Right Return Flange

AcrylX Models | Available in White, Bone & Biscuit

Showers Bases	Interior Dimensions (W x D x H)	Entry Threshold	Flange Detail
XSB 4836 TR 1.0 COL	48" x 36" x 3 ½"	COL	SF
XSB 4823 TR 1.125	48" x 36" x 3 ½"	VER	SF
XSB 6030 TR COL 1.0	60" x 30" x 3 ½"	COL	SF
XSB 6030 TR 1.125	60" x 30" x 3 ½"	VER	SF
XSB 6036 TR 1.0 COL	60" x 36" x 3 ½"	COL	SF
XSB 6036 TR 1.125	60" x 36" x 3 ½"	VER	SF
XSB 6236 TR 1.125	60" x 34" x 3 ½"	VER	RRF
XSB 6236 TR COL	60" x 34" x 3 ½"	COL	RRF
XSB 6447 TR 1.0 COL L	61 ½" x 44 ½" x 3 ½"	COL	SF
XSB 6447 TR 1.0 COL R	61 ½" x 44 ½" x 3 ½"	COL	SF

Entry Threshold

- COL Change of level
- VER Vertical

Flange Detail

- RRF Double Return Flange
- SF Straight Flange
- LHF Left Return Flange
- RHF Right Return Flange



XSB 6447 TR 1.0 COL R



SST 4836 TR COL 1.0 L RF

Solid Surface Models | Available in White only

Showers	Interior Dimensions (W x D x H)	Entry Threshold	Flange Detail
SST 3838 TR 1.125	36" x 36" x 76 ¾"	VER	RRF
SST 3838 TR COL	36" x 36" x 76 ¾"	COL	RRF
SST 4836 TR 1.125 L/R RF	48" x 36" x 76 ¾"	VER	LHF or RHF
SST 4836 TR COL 1.0 L/R RF	48" x 36" x 76 ¾"	COL	LHF or RHF
SST 5038 TR 1.125	48" x 36" x 76 ¾"	VER	RRF
SST 5038 TR COL	48" x 36" x 76 ¾"	COL	RRF
SST 6030 TR 1.125	60" x 30" x 76 ¾"	VER	SF
SST 6030 TR COL	60" x 30" x 76 ¾"	COL	SF
SST 6034 TR 1.125	60" x 34" x 76 ¾"	VER	SF
SST 6034 TR COL	60" x 34" x 76 ¾"	COL	SF
SST 6036 TR 1.125	60" x 36" x 76 ¾"	VER	SF
SST 6036 TR COL 1.0	60" x 36" x 76 ¾"	COL	SF
SST 6232 TR 1.125	60" x 30" x 76 ¾"	VER	RRF
SST 6232 TR COL	60" x 30" x 76 ¾"	COL	RRF
SST 6236 TR 1.125	60" x 34" x 76 ¾"	VER	RRF
SST 6236 TR COL	60" x 34" x 76 ¾"	COL	RRF
SST 6238 TR COL	60" x 36" x 76 ¾"	COL	RRF
SST 6238 TR 1.125	60" x 36" x 76 ¾"	VER	RRF

Showers Bases	Interior Dimensions (W x D x H)	Entry Threshold	Flange Detail
SSB 4836 TR 1.0 COL	48" x 36" x 3 ½"	COL	SF
SSB 4836 TR 1.125	48" x 36" x 3 ½"	VER	SF
SSB 6030 TR COL 1.0	60" x 30" x 3 ½"	COL	SF
SSB 6030 TR 1.125	60" x 30" x 3 ½"	VER	SF
SSB 6036 TR COL 1.0	60" x 36" x 3 ½"	COL	SF
SSB 6036 TR 1.125	60" x 36" x 3 ½"	VER	SF
SSB 6236 TR COL 1.0	60" x 34" x 3 ½"	COL	RRF
SSB 6236 TR 1.125	60" x 34" x 3 ½"	VER	RRF
SSB 6447 TR 1.0 COL L	61 ½" x 44 ½" x 3 ½"	COL	SF
SSB 6447 TR 1.0 COL R	61 ½" x 44 ½" x 3 ½"	COL	SF

Entry Threshold

- COL** Change of level
- VER** Vertical

Flange Detail

- RRF** Double Return Flange
- SF** Straight Flange
- LHF** Left Return Flange
- RHF** Right Return Flange



comfortdesignsbathware.com