



Equipment Quick Ship Programs 2024

don.com | 800.777.4DON



Fast. Convenient. In-Stock.

The Alto-Shaam Quick Ship program guarantees in-stock equipment and provides quick, convenient shipping on our most popular models. Whether you need cooking, holding or serving equipment, take advantage of expedited shipping to get the equipment you need sooner than the regular lead time.

Program Details

- Orders received before 1pm CST will be shipped within 48 business hours
- Please reference Quick Ship on your purchase order
- Pricing per current Alto-Shaam price list
- Program available for standard models listed
- Quantities ordered may impact Quick Ship availability
- When purchasing the factory-authorized installation program with equipment, please complete the Site Survey form to ensure timely installation

Send all equipment purchase orders to globalsales@alto-shaam.com or call 800.558.8744.



7-20E Pro



500-3D



VMC-H4H



1200-TH



1200-UP

Prodigi™ Pro Combi Ovens

Model	Item#	Desc
7-20E Pro	807017	208-240V, 3ph, right hinge
7-20G Pro	806137	120V, 1ph, natural gas, right hinge
20-20G Pro	1229078	Prodigi Pro 20 Pan Stand Gas
Optional Accessories:		Desc
5015711		Stand, Mobile Oven, slides & shelf
5016083		Stand, Stationary Oven, with shelf
5016084		Stand, Stationary Oven, slides & shelf
5021522		Installation Kit
W2		12 month extended warranty

Cook & Hold Ovens

Model	Item#	Desc
750-TH/II	1028416	Electric SS 120V
1000-TH/II	1050923	Slow Cook & Hold Double 120V
1200-TH, SX	109128	208-240V, simple control, right hinge
Optional Accessories:		Desc
SH-2325		Shelf, Stainless Steel Wire
W2		12 month extended warranty

Vector® H Series Multi-Cook Ovens

Model	Item#	Desc
VMC-H4H, SX	106531	208-240V with cord, simple control, right hinge
VMC-H4H, DX	106505	208-240V with cord, deluxe control, right hinge
Optional Accessories:		Desc
W2		12 month extended warranty

Waterless Food Wells

Model	Item#	Desc
1100-RW	307413	120v
Optional Accessories:		Desc
W2		12 month extended warranty

Heated Holding Cabinets

Model	Item#	Desc
500-S	209928	120V, simple control, right hinge, solid door, 2 1/2" casters
Optional Accessories:		Desc
SH-2107		Shelf, Chrome Plated Wire
5004864		Stacking Hardware
W2		12 month extended warranty
750-S	209860	120V, simple control, right hinge, solid door, 2 1/2" casters
Optional Accessories:		Desc
SH-2105		Shelf, Chrome Plated Wire, 750-S Reach-in
SH-2324		Shelf, Stainless Steel Wire
5004864		Stacking Hardware
W2		12 month extended warranty
1000-UP	209201	120V, simple control, right hinge, 5" casters
Optional Accessories:		Desc
SH-2325		Shelf, Stainless Steel Wire
W2		12 month extended warranty
1200-UP	209402	120V, simple control, right hinge, 5" casters
Optional Accessories:		Desc
W2		12 month extended warranty

Drawer Warmers

Model	Item#	Desc
500-1D	202789	120V, simple control, non-vented
500-2D	202880	120V, simple control, non-vented
500-3D	202890	120V, simple control, non-vented
500-1DN		Warming Drawer 12" x 20" pan
500-2DN		Warming Drawer 2 Drawer 12" x 20" pan
500-3DN		Warming Drawer 3 Drawer 12" x 20" pan
Optional Accessories:		Desc
W2		12 month extended warranty

NOTE: Shipped FOB from WI (53052) next business day

Program Details

- **Speedy Delivery:** Equipment ships within 48 hours after order confirmation, ensuring minimal downtime for your kitchen operations.
- **Expedited Replacements:** Count on our QuickShip program to promptly deliver the essential items needed for urgent equipment replacements, allowing you to swiftly restore functionality in your kitchen without delay.
- **Less Lead Time:** With our low lead times, we ensure that your kitchen can resume its operations with efficiency.

Model#	Item#	Desc
22CET3.1	22CET32082403EZT	Steamchef, 3-Pan Boilerless Steamer, 208-240 Volt, 3 Phase, easyTimer Control
22CET6.1	22CET62082403EZT	Steamchef, 6-Pan Boilerless Steamer, 208-240 Volt, 3 Phase, easyTimer Controls
22CCT6	22CCT62082403EZT	Steamchef, 6-Pan Boilerless, Connectionless Steamer, 208-240 Volt, 3 Phase, With Cord & Plug
22CGT6.1	22CGT6.1NATEZT	Steamchef 6 -Pan Boilerless Steamers, Natural Gas, 120 Volt, easyTimer Controls
21CET8	21CET82083EZT	Steamcraft 3, 3-Pan Steamer, Electric Generator, 208 Volt, 3 Phase
24CEA10	24CEA10.24803EZT	Steamcraft, 10-Pan Gas Steamer, Natural Gas, With Electric Generator, 480 Volt, 3 Phase, easyTimer Control
24CGA10	24CGA10NEZT	Steamcraft, 10-Pan Gas Steamer, Natural Gas With Generator, 120 Volt, easyTimer Control
24CGA10.2	24CGA10.2NEZT	Gemini Series , 10-Pan Gas Steamer, Natural Gas, With Generator, 120 Volt, easyTimer Control
KET6T	KET6TP	6 Gallon Electric Kettle, 208-240 Volt, 3 Phase, Field Adjustable To Single Phase
KET12T	KET12TP	12 Gallon Electric Kettle, 208-240 Volt, 3 Phase, Field Adjustable To Single Phase
KGT12T	KGT12TP	12 Gallon Gas Kettle, Natural Gas, 120 Volt With Cord And Plug
KGL40	KGL40P	40 Gallon Stationary Gas Fired Kettle, Natural Gas, 120 Volt, Cord & Plug, 2" Tangent Draw-Off, Spring Assist Cover
KGL40T	KGL40TP	40 Gallon Tilting Gas Fired Kettle, Natural Gas, 120 Volt, Cord & Plug, 2" Tangent Draw-Off, Spring Assist Cover, Manual Hand Tilt
SGL30T1	SGL30T1NATHTP	30 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug
SGL40TR	SGL30TNATHTP	30 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug
SGL40T1	SGL40T1NATHTP	40 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug
SGL40TR	SGL40TNATHTP	40 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug



Program Details

- Must state in the subject line of the PO Quick ship program
- Cannot add other units not in QS program to the PO or the lead time will go to the longest lead-time item
- You can add accessories to a unit but not options
- Accessories are 2-year warranty, faucets, and pan carriers

- Stands for steamers and kettles are not stocked so those would add to the lead-time

*All Electric models need to be 208/3 PH only

*Other voltages would extend the lead-time

*Natural Gas only, LP would extend the lead-time

Ships in 48 Hours	
Mfg#	Desc
SX-3	Steamer
SX-5	Steamer
GS-30	Tilt Skillet
GS-40	Tilt Skillet
ES-30	Tilt Skillet
ES-40	Tilt Skillet
GS-30-QS	Tilt Skillet QS Series (includes Tangent Draw-Off Valve)
GS-40-QS	Tilt Skillet QS Series (includes Tangent Draw-Off Valve)
ES-30-QS	Tilt Skillet QS Series (includes Tangent Draw-Off Valve)
ES-40-QS	Tilt Skillet QS Series (includes Tangent Draw-Off Valve)
EC-6TW-QS	Kettle (includes Etch Markings)
EC-12TW-QS	Kettle (includes Etch Markings)

NOTE: 2 unit max on each model per PO

Ships Within 2 Weeks	
Mfg#	Desc
ETP-10G	Steamer
ETP-10E	Steamer
GSX-10HE	Steamer
GL-40E-QS	Kettle (includes Etch Markings)
GLT-40-QS	Kettle (includes Tangent Draw-Off Valve, Spring Assist Cover and Etch Markings)
GLT-60-QS	Kettle

NOTE: 2 unit max on each steamer per PO; 1 unit max on each kettle per PO



Program Details

- "Quick Ship" MUST be clearly marked on PO.
- All current shipping policies and minimums apply.
- Dormont reserves the right to limit quantities.
- Orders ship to single location.
- Available to Dormont customers in good credit standing.
- If an item is not identified as quick ship it automatically comes with a 10 working day lead-time. Currently we are shipping most orders within 3-5 working days.

Watts EDP	Legacy Part	Desc
241276	1675KIT48	Dormont Blue Hose Moveable Gas Connector Kit ¾ in. inside dia. 48 in. long Hose to have Stress Guard Rotation end fittings, s/s braid and Blue PVC Antimicrobial coating. Kit to include Industry Exclusive Snap Fast Push-to-Connect quick disconnect, 1 Full Port Valve and 2 Elbows, 1 Coiled Restraining Cable with Hardware. NSF Lifetime Limited Warranty.
241359	1675KITS48	Dormont Blue Hose Moveable Gas Connector Kit ¾ in. inside dia. 48 in. long Hose to have Stress Guard Rotation end fittings, s/s braid and Blue PVC Antimicrobial coating. Kit to include Industry Exclusive Snap Fast Push-to-connect quick disconnect, 1 Swivel Max 360 Multi Plane Rotational Device, 1 Full Port Valve and Elbow, 1 Coiled Restraining Cable with Hardware. NSF Lifetime Limited Warranty
241266	1675KIT36	Dormont Blue Hose Moveable Gas Connector Kit ¾ in. inside dia. 36 in. long Hose to have Stress Guard Rotation end fittings, s/s braid and Blue PVC Antimicrobial coating. Kit to include Industry Exclusive Snap Fast Push-to-Connect quick disconnect, 1 Full Port Valve and 2 Elbows, 1 Coiled Restraining Cable with Hardware. NSF Lifetime Limited Warranty.
241209	1650KIT48	Dormont Blue Hose Moveable Gas Connector Kit ½ in. inside dia. 48 in. long Hose to have Stress Guard Rotation end fittings, s/s braid and Blue PVC Antimicrobial coating. Kit to include Industry Exclusive Snap Fast Push-to-Connect quick disconnect, 1 Full Port Valve and 2 Elbows, 1 Coiled Restraining Cable with Hardware. NSF Lifetime Limited Warranty.
241197	1650KIT36	Dormont Blue Hose Moveable Gas Connector Kit ½ in. inside dia. 36 in. long Hose to have Stress Guard Rotation end fittings, s/s braid and Blue PVC Antimicrobial coating. Kit to include Industry Exclusive Snap Fast Push-to-Connect quick disconnect, 1 Full Port Valve and 2 Elbows, 1 Coiled Restraining Cable with Hardware. NSF Lifetime Limited Warranty.
241002	PS	Dormont Safety-Set Positioning System Now with Antimicrobial Additive Designed to return caster-mounted equipment to a specific spot beneath fire suppression or ventilation systems after every cleaning; Accommodates 4", 5" and 6" casters and withstands up to 1,000 lbs. of crush force; Meets NFPA Codes 17A and 96; Can be used with all caster-mounted equipment; Includes 2 Safety-Set Units with Thumb Screw and Hardware pack

NOTE: Shipped FOB from PA (15632)

Program Details

- Please mark your orders “QSP” so we can easily identify your request.
- Order must be received prior to 12:00 noon (CST).
- QSP—48 hour shipment applies to orders of 10 units or less.
- Unit is defined as a Worktable or Aerohot Steamtable (spillage pans, drawers and stacking kits do not apply as a unit).

- QSP is a stand alone program and does not coincide with any other existing Duke program or matrix.
- QSP purchase order must be received with complete information such as voltage, phase, natural gas, propane gas, etc., in order to qualify for 48 hour shipment.

Steamtables	
Electric	
Mfg#	Desc
• Exposed Elements	
E302-115-1	2 well, exposed element steamtable, 120 v
E303-115-1	3 well, exposed element steamtable, 120 v
E304-115-1	4 well, exposed element steamtable, 120 v
E304-208-1	4 well, exposed element steamtable, 208 v
E304-236-1	4 well, exposed element steamtable, 240 v
E305-115-1	5 well, exposed element steamtable, 120 v
E305-208-1	5 well, exposed element steamtable, 208 v
E305-240-1	5 well, exposed element steamtable, 240 v
• Sealed Wells	
E302SW-115-1	2 well, sealed well steamtable, 120 v
E302SW-208-1	2 well, sealed well steamtable, 208 v
E303SW-115-1	3 well, sealed well steamtable, 120 v
E303SW-208-1	3 well, sealed well steamtable, 208 v
E304SW-115-1	4 well, sealed well steamtable, 120 v
E304SW-208-1	4 well, sealed well steamtable, 208 v
E304SW-236-1	4 well, sealed well steamtable, 240 v
E305SW-115-1	5 well, sealed well steamtable, 120 v
E305SW-208-1	5 well, sealed well steamtable, 208 v
E305SW-236-1	5 well, sealed well steamtable, 240 v
Gas	
Individual Wells	
302-NAT/LP	2 well, individual burner steamtable, NAT or LP
303-NAT/LP	3 well, individual burner steamtable, NAT or LP
304-NAT/LP	4 well, individual burner steamtable, NAT or LP
305-NAT/LP	5 well, individual burner steamtable, NAT or LP
Wet Baths	
WB302	2 well, gas bain marie steamtable, NAT or LP
WB303	3 well, gas bain marie steamtable, NAT or LP
WB304	4 well, gas bain marie steamtable, NAT or LP
WB305	5 well, gas bain marie steamtable, NAT or LP
Accessories	
576	Spillage Pans
FCA-NEW-KIT	Caster Kit

Economy Worktables	
Worktables	
Mfg#	Desc
418-2424	24in x 24"18-gauge 400 S/S flat top worktable, galvanized legs/undershelf
418-2430	30in x 24"18-gauge 400 S/S flat top worktable, galvanized legs/undershelf
418-2436	36in x 24"18-gauge 400 S/S flat top worktable, galvanized legs/undershelf
418-2448	48in x 24"18-gauge 400 S/S flat top worktable, galvanized legs/undershelf
418-2460	60in x 24"18-gauge 400 S/S flat top worktable, galvanized legs/undershelf
418-2472	72in x 24"18-gauge 400 S/S flat top worktable, galvanized legs/undershelf
418-2496	96in x 24"18-gauge 400 S/S flat top worktable, galvanized legs/undershelf
418-3030	30in x 30"18-gauge 400 S/S flat top worktable, galvanized legs/undershelf
418-3036	36in x 30"18-gauge 400 S/S flat top worktable, galvanized legs/undershelf
418-3048	48in x 30"18-gauge 400 S/S flat top worktable, galvanized legs/undershelf
418-3060	60in x 30"18-gauge 400 S/S flat top worktable, galvanized legs/undershelf
418-3072	72in x 30"18-gauge 400 S/S flat top worktable, galvanized legs/undershelf
418-3096	96in x 30"18-gauge 400 S/S flat top worktable, galvanized legs/undershelf
Drawers	
185-30	S/S drawer for 30" wide tables
185-24	S/S drawer for 24" wide tables
186-30	galvanized drawer for 30" wide tables
186-24	galvanized drawer for 24" wide tables

Stacking Kits	
Mfg#	Desc
152799-QB	with S/S legs
152800-QB	with plate casters
NOTE: Shipped FOB from MO (65301)	



QUICK SHIPPING



Program Details

- Specifications are subject to change without notice. Elements & Quick Ship products are sold as-is without any options. If options are desired, please see our Signature Line of products. Any modification to these cases in the field may void the warranty.
- Call Federal Customer Service at 800-356-4206 for current inventory availability.

Elements Bakery and Deli Cases

Refrigerated Bakery

Model	Size (L x D x H)	Electrical
ECGR-50	50" x 35" x 48", ½ H.P.	120/60/1
ECGR-59	59" x 35" x 48", ½ H.P.	120/60/1
ECGR-77	77" x 35" x 48", ¾ H.P.	120/60/1

Non-Refrigerated Bakery

ECGD-50	50" x 35" x 48"	120/60/1
ECGD-59	59" x 35" x 48"	120/60/1
ECGD-77	77" x 35" x 48"	120/60/1

Refrigerated Deli

ECGR-50CD	50" x 35" x 48"	½ H.P. 120/60/1
ECGR-59CD	59" x 35" x 48"	½ H.P. 120/60/1
ECGR-77CD	77" x 35" x 48"	¾ H.P. 120/60/1

*Optional Field Install Caster Kit

Elements Counter Top Merchandisers

Refrigerated Rear Mount

Model	Size (L x D x H)	Electrical
ERR-3628	36" x 29.7" x 28"	1/3 H.P. 120/60/1
ERR-4828	48" x 29.7" x 28"	1/3 H.P. 120/60/1

Refrigerated Self-Serve Rear Mount

ERR-3628SS	36" x 29.7" x 28"	1/3 H.P. 120/60/1
ERR-4828SS	48" x 29.7" x 28"	1/3 H.P. 120/60/1

Hot

EH-2428	24" x 29.7" x 28"	120/60/1
EH-3628	36" x 29.7" x 28"	120/60/1
EH-4828	48" x 29.7" x 28"	120/60/1

Hot Self-Serve

EH-2428SS	24" x 29.7" x 28"	120/60/1
EH-3628SS	36" x 29.7" x 28"	120/60/1
EH-4828SS	48" x 29.7" x 28"	120/60/1

Elements Specialty Display Cases

Refrigerated Self-Serve Low Profile

Model	Size (L x D x H)	Electrical
ELPRSS-3	34.6" x 34" x 46"	1/3 H.P. 120/60/1
ELPRSS-4	46.6" x 34" x 46"	1/3 H.P. 120/60/1
ELPRSS-6	70.6" x 34" x 46"	¾ H.P. 208-240/60/1

Convertible Service High Profile Self-Serve

ESSRC-5052	50" x 34" x 52"	½ H.P. 208-240/60/1
ESSRC-5952	59" x 34" x 52"	½ H.P. 208-240/60/1
ESSRC-7752	77" x 34" x 52"	¾ H.P. 208-240/60/1

Refrigerated Self-Serve Island Merchandiser

EIMSS60SC-3	60" x 40" x 60"	1½ H.P. 208-240/60/1
EIMSS84SC-3	84" x 40" x 60"	1¾ H.P. 208-240/60/1

*Optional Field Install Caster Kit

Quick Ship Refrigerated - Curved Glass

Model	Size (L x D x H)	Electrical
VRSS3678C-QS	36" x 33" x 78"	½ H.P. 120/60/1
VRSS4878C-QS	47.25" x 33" x 78"	½ H.P. 208-240/60/1
VRSS7278C-QS	71.25" x 33" x 78"	¾ H.P. 208-240/60/1

NOTE: Shipped FOB from WI (53508) next business day, if available



Program Details

- DON now receives free freight for all equipment and accessories above \$100. This program is exclusive to DON.
- Orders received before noon CST will ship within 24 hours.
- Please mark the PO "Hot Rush" so we can expedite the order.
- Liftgate and Residential Delivery Fees still apply.

Next Day Ship Items

Mfg#	Desc
S13	13" Premium Manual Slicer
SG13	13" Advanced Premium Manual Slicer
S13A	13" Premium Automatic Slicer
SG13A	13" Advanced Premium Manual Slicer
FS14	14" Flywheel Slicer
FS12	12" Flywheel Slicer
G10	10" Medium Duty Slicer
G12	12" Medium Duty Slicer
G12A	12" Medium Duty Automatic Slicer
G14	14" Medium Duty Slicer
GC512	12" Medium Duty, Gear Driven Slicer
GS012	12" Open Body, Medium Duty Slicer
C9	9" Economy Slicer
C10	10" Economy Slicer
C12	12" Economy Slicer
SP05	5qt Planetary Mixer
SP62P-3	60qt Planetary Mixer
GSM130	130lb Spiral Mixer
GSM175	175lb Spiral Mixer
GIB500-12	12" Immersion Blender
GIB750-14	14" Immersion Blender
GIB750-16	16" Immersion Blender
GIB750-18	18" Immersion Blender
GIB750-22	22" Immersion Blender
GPD-L	200 RPM Power Drive
GPD-H	700 RPM Power Drive
C24GG	Chefmate 24" Gas Griddle
C36GG	Chefmate 36" Gas Griddle
C36CB-SR	Chefmate 36" Charbroiler
C12HT	Chefmate 12" Hot Plate
C24HT	Chefmate 24" Hot Plate
GCB15G	15" Charbroiler
GCB24G	24" Charbroiler
GCB36G	36" Charbroiler
GCB48G	48" Charbroiler
GG15G	15" Manual Griddle
GG24G	24" Manual Griddle
GG36G	36" Manual Griddle
GG48G	48" Manual Griddle
GG24TG	24" T-Stat Griddle
GG36TG	36" T-Stat Griddle
GG48TG	48" T-Stat Griddle
GG60TG	60" T-Stat Griddle
GHP12G	12" Hot Plate
GHP24G	24" Hot Plate
GHP36G	36" Hot Plate
GHPSU212G	12" Step-Up Hot Plate
GHPSU424G	24" Step-Up Hot Plate
GHPSU636G	36" Step-Up Hot Plate
GSCS2-1	Cheese Shredder, 2hp, single phase
GSCS2-3	Cheese Shredder, 2hp, three phase
GSCS3-3	Cheese Shredder, 3hp, three phase
GF15G	15lb Countertop Natural Gas Fryer
GF30G	30lb Countertop Natural Gas Fryer
GF15PG	15lb Countertop LP Fryer

Next Day Ship Items

Mfg#	Desc
GF30PG	30lb Countertop LP Fryer
GFF35G	35lb Natural Gas Fryer
GFF50G	50lb Natural Gas Fryer
GFF35PG	35lb LP Fryer
GFF50PG	50lb LP Fryer
GFF80PG	80lb LP Fryer
GPG1410	14"x10" Panini Grill
GS1410	14"x10" Sandwich Grill
GPGS1410	14"x10" Combo Plate Grill
GPG10	10" Panini Grill
GSG10	10" Sandwich Grill
GPGDUE10	10" Double Panini Grill
GSGDUE10	10" Double Sandwich Grill
GPG14D	14" Deluxe Panini Grill
GSG14D	14" Deluxe Sandwich Grill
GPGDUE14D	14" Deluxe Double Panini Grill
GSGDUE14D	14" Deluxe Double Sandwich Grill
GPGS14D	14" Deluxe Combo Plate Grill
GPGSDUE14D	14" Deluxe Double Combo Plate Grill
PG24E	24" Economy Electric Griddle
PG36E	36" Economy Electric Griddle
GEG24	24" Medium Duty Electric Griddle
GEG36	36" Medium Duty Electric Griddle
GSP18G	18" Stock Pot Range
PF10E	10lb Electric Fryer
PF16E	16lb Electric Fryer
PF32E	32lb Electric Fryer
PP4	4" Patty Press
PP5	5" Patty Press
GIR18	Continuous Use Induction Range
IR1800	Intermittent Use Induction Range
WL2	Warming Lamp
RC1	Rice Cooker
CM12	#12 Hub Meat Chopper
CM22	#22 Hub Meat Chopper
GVP6	Standard Vacuum Packaging Machine
GPS5	5lb Portion Scale
GPS10	10lb Portion Scale
GLS30	30lb Price Computing Scale
GSP30B	Label Printing Scale
V5-B	Varimixer 5qt Teddy (Black)
V5-R	Varimixer 5qt Teddy (Red)
V5-S	Varimixer 5qt Teddy (Silver)
V5-W	Varimixer 5qt Teddy (White)
V10KLT	Varimixer 10 qt Mixer
V20KF	Varimixer 20qt Floor Mixer
V20KT	Varimixer 20qt Table Mixer
V40	Varimixer 40qt Floor Mixer
V60-3	Varimixer 60qt Floor Mixer
V60PL-3	Varimixer 60qt Floor Mixer (Power Bowl Lift)
V80	Varimixer 80qt Floor Mixer
V80PL	Varimixer 80qt Floor Mixer (Power Bowl Lift)
V100PL	Varimixer 100qt Floor Mixer
V150PLM	Varimixer 150qt Floor Mixer

Program Details

- Stock items listed below are available to ship within 24 hours, based on availability and credit approval.
- Purchase orders must be received via customer care through QuickShip@ITWFEG.com and must be marked with the Promo# 5030.
- Quick Ship program not intended for project or stock orders.
- **Hobart Warewash Dealers Choice Program:**
30/7/5 Drop Ship
- **Centerline by Hobart Warewash Program:**
5 Piece Pricing for Single Piece items & Accessories
- Additional 5% stocking rebate included when drop-shipped to end-user

Hobart AM16 Door Type	
Mfg#	Desc
AM16-BASX-2	AM16 Base 208-240/60/3 or 1 phase
AM16T-BASX-2	3 well, exposed element steamtable, 120 v
AM16VL-BASX-2	AM16 Base 208-240/60/3 or 1 phase Ventless
AM16VLT-BASX-2	AM16 Tall 208-240/60/3 or 1 phase Ventless
AM16SCBX-16	AM16SCB Low Temp 208/240/60/1
Hobart AM Two Level	
AMTL-2	Two Level 208-240/60/3
Centerline Door Type	
CDH-1	Centerline Door Type 208-240/60/3/1 High Temp
CDL-1	Centerline Door Type 120/60/1 Low Temp
Centerline Undercounter	
CUH-1	Centerline Undercounter 208-240/60/1 High Temp
CUL-1	Centerline Undercounter 120/60/1 Low Temp

Hobart LXe Undercounter	
Mfg#	Desc
LXeH-2	Hobart Base Undercounter 120/208-240/60/1 (3W) High Temp
LXeC-3	Hobart Base Undercounter 120/60/1 Low Temp
LXeR-2	Hobart Advansys Undercounter 120/208-240/60/1
LXGeR-2	Hobart Advansys Glasswasher 120/208-240/60/1 (3W) Short Legs
Prep Washer*	
PW10-1	Hobart 10 Pan Prep Washer 208/240/60/3
PW10eR-1	Hobart Advansys 10 Pan Prep Washer 208/240/60/3
PW20-1	Hobart 20 Pan Prep Washer 208/240/60/3
PW20eR-1	Hobart Advansys 20 Pan Prep Washer 208/240/60/3
PW20-2	Hobart 20 Pan Prep Washer 480/60/3
*Prep Washer is a Spec Line product. Dealers Choice discount does not apply. Standard 30% off list price unless specified by DON.	

Kolpak Polar-Pak Available For Quickship - 10-15 Business Day Lead Time

Coolers with Floor: 35°F - 7' 6¼"H			Freezers with Floor: -10°F - 7' 6¼"H			Coolers Floorless: 35°F - 7' 6¼"Hh		
Mfg#	Size	HP	Mfg#	Size	HP	Mfg#	Size	HP
P7-0610-CT	5'10" x 9'8" x 7'6.25"	1/2 hp	P7-0606-FT	5'10" x 5'10" x 7'6.25"	1 hp	PX7-0608-CT	5'10" x 7'9" x 7'6.25"	1/2 hp
P7-0612-CT	5'10" x 11'7" x 7'6.25"	1/2 hp	P7-0608-FT	5'10" x 7'9" x 7'6.25"	1-1/2 hp	PX7-0610-CT	5'10" x 9'8" x 7'6.25"	1/2 hp
P7-0808-CT	7'9" x 7'9" x 7'6.25"	1/2 hp	P7-0610-FT	5'10" x 9'8" x 7'6.25"	1-1/2 hp	PX7-0612-CT	5'10" x 11'7" x 7'6.25"	1/2 hp
P7-0810-CT	7'9" x 9'8" x 7'6.25"	1/2 hp	P7-0612-FT	5'10" x 11'7" x 7'6.25"	1-1/2 hp	PX7-0806-CT	7'9" x 5'10" x 7'6.25"	1/2 hp
P7-0812-CT	7'9" x 11'7" x 7'6.25"	1/2 hp	P7-0806-FT	7'9" x 5'10" x 7'6.25"	1-1/2 hp	PX7-0808-CT	7'9" x 7'9" x 7'6.25"	1/2 hp
P7-1006-CT	9'8" x 5'10" x 7'6.25"	1/2 hp	P7-0808-FT	7'9" x 7'9" x 7'6.25"	1-1/2 hp	PX7-0810-CT	7'9" x 9'8" x 7'6.25"	1/2 hp
P7-1008-CT	9'8" x 7'9" x 7'6.25"	1/2 hp	P7-0810-FT	7'9" x 9'8" x 7'6.25"	1-1/2 hp	PX7-0812-CT	7'9" x 11'7" x 7'6.25"	3/4 hp
P7-1010-CT	9'8" x 9'8" x 7'6.25"	1/2 hp	P7-0812-FT	7'9" x 11'7" x 7'6.25"	2 hp	PX7-1006-CT	9'8" x 5'10" x 7'6.25"	1/2 hp
P7-1012-CT	9'8" x 11'7" x 7'6.25"	3/4 hp	P7-1006-FT	9'8" x 5'10" x 7'6.25"	1-1/2 hp	PX7-1008-CT	9'8" x 7'9" x 7'6.25"	1/2 hp
P7-1206-CT	11'7" x 5'10" x 7'6.25"	1/2 hp	P7-1008-FT	9'8" x 7'9" x 7'6.25"	1-1/2 hp	PX7-1010-CT	9'8" x 9'8" x 7'6.25"	3/4 hp
P7-1208-CT	11'7" x 7'9" x 7'6.25"	1/2 hp	P7-1010-FT	9'8" x 9'8" x 7'6.25"	2 hp	PX7-1012-CT	9'8" x 11'7" x 7'6.25"	1 hp
P7-1212-CT	11'7" x 11'7" x 7'6.25"	3/4 hp	P7-1206-FT	11'7" x 5'10" x 7'6.25"	1-1/2 hp	PX7-1206-CT	11'7" x 5'10" x 7'6.25"	1/2 hp
			P7-1208-FT	11'7" x 7'9" x 7'6.25"	2 hp	PX7-1208-CT	11'7" x 7'9" x 7'6.25"	3/4 hp

Coolers with Floor: 35°F - 8' 6¼"H			Freezers with Floor: -10°F - 8' 6¼"H			Coolers Floorless: 35°F - 8' 6¼"H		
Mfg#	Size	HP	Mfg#	Size	HP	Mfg#	Size	HP
P8-0608-CT	5' 10" x 7' 9" x 8' 6.25"	1/2 hp	P8-0606-FT	5'10" x 5'10" x 8'6.25"	1 hp	PX8-0608-CT	5'10" x 7'9" x 8'6.25"	1/2 hp
P8-0610-CT	5' 10" x 9' 8" x 8' 6.25"	1/2 hp	P8-0608-FT	5'10" x 7'9" x 8'6.25"	1-1/2 hp	PX8-0610-CT	5'10" x 9'8" x 8'6.25"	1/2 hp
P8-0612-CT	5' 10" x 11' 7" x 8' 6.25"	1/2 hp	P8-0610-FT	5'10" x 9'8" x 8'6.25"	1-1/2 hp	PX8-0612-CT	5'10" x 11'7" x 8'6.25"	1/2 hp
P8-0808-CT	7' 9" x 7' 9" x 8' 6.25"	1/2 hp	P8-0612-FT	5'10" x 11'7" x 8'6.25"	2 hp	PX8-0808-CT	7'9" x 7'9" x 8'6.25"	1/2 hp
P8-0810-CT	7' 9" x 9' 8" x 8' 6.25"	1/2 hp	P8-0808-FT	7'9" x 7'9" x 8'6.25"	1-1/2 hp	PX8-0810-CT	7'9" x 9'8" x 8'6.25"	1/2 hp
P8-0812-CT	7' 9" x 11' 7" x 8' 6.25"	1/2 hp	P8-0810-FT	7'9" x 9'8" x 8'6.25"	2 hp	PX8-0812-CT	7'9" x 11'7" x 8'6.25"	3/4 hp
P8-1008-CT	9' 8" x 7' 9" x 8' 6.25"	1/2 hp	P8-1008-FT	9'8" x 7'9" x 8'6.25"	2 hp	PX8-1008-CT	9'8" x 7'9" x 8'6.25"	1/2 hp
P8-1010-CT	9' 8" x 9' 8" x 8' 6.25"	1/2 hp				PX8-1010-CT	9'8" x 9'8" x 8'6.25"	3/4 hp
P8-1012-CT	9' 8" x 11' 7" x 8' 6.25"	3/4 hp				PX8-1012-CT	9'8" x 11'7" x 8'6.25"	1 hp
P8-1212-CT	11' 7" x 11' 7" x 8' 6.25"	1 hp						

Kolpak KoldFront Available For Quickship - 5 Business Day Lead Time

Coolers with Floor: 38°F - 7' 6¼"H			Freezers with Floor: -10°F - 7' 6¼"H			Coolers Floorless: 38°F - 7' 6¼"Hh		
Mfg#	Size	HP	Mfg#	Size	HP	Mfg#	Size	HP
KF7-0608-CR	5'10" x 7'9" x 7'6.25"	1/2 hp	KF7-0610-FR	5'10" x 9'8" x 7'6.25"	2 hp	KFX7-0608-CR	5'10" x 7'9" x 7'6.25"	1/2 hp
KF7-0610-CR	5'10" x 9'8" x 7'6.25"	1/2 hp	KF7-0612-FR	5'10" x 11'7" x 7'6.25"	2 hp	KFX7-0610-CR	5'10" x 9'8" x 7'6.25"	1/2 hp
KF7-0612-CR	5'10" x 11'7" x 7'6.25"	1/2 hp	KF7-0808-FR	7'9" x 7'9" x 7'6.25"	2 hp	KFX7-0612-CR	5'10" x 11'7" x 7'6.25"	1/2 hp
KF7-0806-CR	7'9" x 5'10" x 7'6.25"	1/2 hp	KF7-0810-FR	7'9" x 9'8" x 7'6.25"	2 hp	KFX7-0806-CR	7'9" x 5'10" x 7'6.25"	1/2 hp
KF7-0808-CR	7'9" x 7'9" x 7'6.25"	1/2 hp	KF7-0812-FR	7'9" x 11'7" x 7'6.25"	2 hp	KFX7-0808-CR	7'9" x 7'9" x 7'6.25"	1/2 hp
KF7-0810-CR	7'9" x 9'8" x 7'6.25"	1/2 hp	KF7-1006-FR	9'8" x 5'10" x 7'6.25"	2 hp	KFX7-0810-CR	7'9" x 9'8" x 7'6.25"	1/2 hp
KF7-0812-CR	7'9" x 11'7" x 7'6.25"	1/2 hp	KF7-1008-FR	9'8" x 7'9" x 7'6.25"	2 hp	KFX7-0812-CR	7'9" x 11'7" x 7'6.25"	1/2 hp
KF7-0814-CR	7'9" x 13'6" x 7'6.25"	1/2 hp	KF7-1010-FR	9'8" x 9'8" x 7'6.25"	2 hp	KFX7-0814-CR	7'9" x 13'6" x 7'6.25"	3/4 hp
KF7-1006-CR	9'8" x 5'10" x 7'6.25"	1/2 hp	KF7-1206-FR	11'7" x 5'10" x 7'6.25"	2 hp	KFX7-1006-CR	9'8" x 5'10" x 7'6.25"	1/2 hp
KF7-1008-CR	9'8" x 7'9" x 7'6.25"	1/2 hp	KF7-1208-FR	11'7" x 7'9" x 7'6.25"	2 hp	KFX7-1008-CR	9'8" x 7'9" x 7'6.25"	1/2 hp
KF7-1010-CR	9'8" x 9'8" x 7'6.25"	1/2 hp	P7-1010-FT	9'8" x 9'8" x 7'6.25"	2 hp	KFX7-1010-CR	9'8" x 9'8" x 7'6.25"	3/4 hp
KF7-1206-CR	11'7" x 5'10" x 7'6.25"	1/2 hp	P7-1206-FT	11'7" x 5'10" x 7'6.25"	1-1/2 hp	KFX7-1206-CR	11'7" x 5'10" x 7'6.25"	1/2 hp
KF7-1208-CR	11'7" x 7'9" x 7'6.25"	1/2 hp	P7-1208-FT	11'7" x 7'9" x 7'6.25"	2 hp	KFX7-1208-CR	11'7" x 7'9" x 7'6.25"	1/2 hp
KF7-1408-CR	13'6" x 7'9" x 7'6.25"	1/2 hp				KFX7-1408-CR	13'6" x 7'9" x 7'6.25"	3/4 hp

Coolers with Floor: 38°F - 8' 6¼"H			Freezers with Floor: -10°F - 8' 6¼"H			Coolers Floorless: 38°F - 8' 6¼"H		
Mfg#	Size	HP	Mfg#	Size	HP	Mfg#	Size	HP
KF8-0608-CR	5'10" x 7'9" x 8'6.25"	1/2 hp	KF8-0608-FR	5'10" x 7'9" x 8'6.25"	2 hp	KFX8-0608-CR	5'10" x 7'9" x 8'6.25"	1/2 hp
KF8-0610-CR	5'10" x 9'8" x 8'6.25"	1/2 hp	KF8-0610-FR	5'10" x 9'8" x 8'6.25"	2 hp	KFX8-0610-CR	5'10" x 9'8" x 8'6.25"	1/2 hp
KF8-0612-CR	5'10" x 11'7" x 8'6.25"	1/2 hp	KF8-0612-FR	5'10" x 11'7" x 8'6.25"	2 hp	KFX8-0612-CR	5'10" x 11'7" x 8'6.25"	1/2 hp
KF8-0806-CR	7'9" x 5'10" x 8'6.25"	1/2 hp	KF8-0806-FR	7'9" x 5'10" x 8'6.25"	2 hp	KFX8-0806-CR	7'9" x 5'10" x 8'6.25"	1/2 hp
KF8-0808-CR	7'9" x 7'9" x 8'6.25"	1/2 hp	KF8-0808-FR	7'9" x 7'9" x 8'6.25"	2 hp	KFX8-0808-CR	7'9" x 7'9" x 8'6.25"	1/2 hp
KF8-0810-CR	7'9" x 9'8" x 8'6.25"	1/2 hp	KF8-0810-FR	7'9" x 9'8" x 8'6.25"	2 hp	KFX8-0810-CR	7'9" x 9'8" x 8'6.25"	1/2 hp
KF8-0812-CR	7'9" x 11'7" x 8'6.25"	1/2 hp	KF8-0812-FR	7'9" x 11'7" x 8'6.25"	2 hp	KFX8-0812-CR	7'9" x 11'7" x 8'6.25"	3/4 hp
KF8-0814-CR	7'9" x 13'6" x 8'6.25"	3/4 hp	KF8-1006-FR	9'8" x 5'10" x 8'6.25"	2 hp	KFX8-0814-CR	7'9" x 13'6" x 8'6.25"	3/4 hp
KF8-1006-CR	9'8" x 5'10" x 8'6.25"	1/2 hp	KF8-1008-FR	9'8" x 7'9" x 8'6.25"	2 hp	KFX8-1006-CR	9'8" x 5'10" x 8'6.25"	1/2 hp
KF8-1008-CR	9'8" x 7'9" x 8'6.25"	1/2 hp	KF8-1010-FR	9'8" x 9'8" x 8'6.25"	2-1/2 hp	KFX8-1008-CR	9'8" x 7'9" x 8'6.25"	1/2 hp
KF8-1010-CR	9'8" x 9'8" x 8'6.25"	1/2 hp	KF8-1206-FR	11'7" x 5'10" x 8'6.25"	2 hp	KFX8-1010-CR	9'8" x 9'8" x 8'6.25"	3/4 hp
KF8-1012-CR	9'8" x 11'7" x 8'6.25"	3/4 hp	KF8-1208-FR	11'7" x 7'9" x 8'6.25"	2 hp	KFX8-1012-CR	9'8" x 11'7" x 8'6.25"	3/4 hp
KF8-1014-CR	9'8" x 13'6" x 8'6.25"	3/4 hp				KFX8-1014-CR	9'8" x 13'6" x 8'6.25"	3/4 hp
KF8-1206-CR	11'7" x 5'10" x 8'6.25"	1/2 hp				KFX8-1206-CR	11'7" x 5'10" x 8'6.25"	1/2 hp
KF8-1208-CR	11'7" x 7'9" x 8'6.25"	1/2 hp				KFX8-1208-CR	11'7" x 7'9" x 8'6.25"	3/4 hp
KF8-1210-CR	11'7" x 9'8" x 8'6.25"	3/4 hp				KFX8-1210-CR	11'7" x 9'8" x 8'6.25"	3/4 hp
KF8-1212-CR	11'7" x 11'7" x 8'6.25"	3/4 hp				KFX8-1212-CR	11'7" x 11'7" x 8'6.25"	3/4 hp
KF8-1408-CR	13'6" x 7'9" x 8'6.25"	3/4 hp				KFX8-1408-CR	13'6" x 7'9" x 8'6.25"	3/4 hp
KF8-1410-CR	13'6" x 9'8" x 8'6.25"	3/4 hp				KFX8-1410-CR	13'6" x 9'8" x 8'6.25"	3/4 hp

NOTE: Shipped FOB from TN (38363)

Program Details

- Ships within 3 business days from order submission
- Send orders to orders@krowne.com and reference "Quick Ship" on the order
- Maximum 3 Underbar and 3 Refrigeration products per order
- Order cannot be combined with non-quick ship items

Ice Bins (Available with or without cold plates; 12" deep liners)				
Mfg#	Length	Ice Cap'y	Cold Plate Circuits	Weight
KR19-24	24"	74 lbs	—	67 lbs
KR19-24-10	24"	74 lbs	10	124 lbs
KR19-30	30"	92 lbs	—	76 lbs
KR19-30-10	30"	92 lbs	10	138 lbs
KR19-36	36"	110 lbs	—	86 lbs
KR19-36-10	36"	110 lbs	10	152 lbs

Bar Sinks (Royal Series wall mount faucet & drains with overflows included)					
Mfg#	Length	Bowls	Drainboard Size	Bowl Location	Weight
KR19-53C	60"	3	(2) 12"	Center	69 lbs
KR19-63C	72"	3	(2) 18"	Center	75 lbs
KR19-64C	72"	4	(2) 12"	Center	79 lbs

4-Step Liquor Display (Includes sound deadened speed rails)			
Mfg#	Length	Bottle Storage	Weight
KR24-12RD	12"	12	40 lbs
KR24-18RD	18"	16	48 lbs
KR24-24RD	24"	24	60 lbs

Single Speed Rails (No. 12 SS sheet metal 5/8" long screws required, not included)			
Mfg#	Length	Depth	Weight
RS-24	24"	5"	4 lbs
RS-30	30"	5"	5 lbs
RS-36	36"	5"	7 lbs

Blender Dump Sinks (Royal Series faucet & 1-1/2" center drain included)			
Mfg#	Length	Depth	Weight
KR24-12BD	12"	10" x 12" x 7"	43 lbs
KR24-18BD	18"	10" x 14" x 7"	53 lbs

Drainboard (Stainless embossed drainboard top & built-in 1-1/2" drain)		
Mfg#	Length	Weight
KR19-GS24	24"	50 lbs

Sink with Built-In Soap & Towel Dispenser (Royal Series faucet included)		
Mfg#	Length	Weight
KR24-12ST	12"	60 lbs

Glass Storage Cabinets (Glass racks not included; built-in 1-1/4" drain)			
Mfg#	Length	Feature	Weight
KR24-GSB1	24"	Adjustable (3) Racks	40 lbs
KR24-GSB3	24"	Drainboard / Middle Shelf	48 lbs

Self Contained Back Bar Refrigeration – One Door (36"L x 24"D x 35"H)	
Mfg#	Description
BS36L-BNS-L	36" Self-Contained Back Bar Cooler (Black Vinyl Finish)
BS36L-SNS-L	36" Self-Contained Back Bar Cooler (Stainless Steel Vinyl Finish)
BS36L-KNS-L	36" Self-Contained Back Bar Cooler (Glass with Stainless Steel Vinyl Finish)

Self Contained Back Bar Refrigeration – Two Door (60"L x 24"D x 35"H)	
Mfg#	Description
BS60L-BNS-LR	60" Self-Contained Back Bar Cooler (Black Vinyl Finish)
BS60L-SNS-LR	60" Self-Contained Back Bar Cooler (Stainless Steel Vinyl Finish)
BS60L-KNS-LR	60" Self-Contained Back Bar Cooler (Glass with Stainless Steel Vinyl Finish)

Self Contained Back Bar Refrigeration – Three Door (84"L x 24"D x 35"H)	
Mfg#	Description
BS84L-BNS-LLR	84" Self-Contained Back Bar Cooler (Black Vinyl Finish)
BS84L-SNS-LLR	84" Self-Contained Back Bar Cooler (Stainless Steel Vinyl Finish)
BS84L-KNS-LLR	84" Self-Contained Back Bar Cooler (Glass with Stainless Steel Vinyl Finish)

Notes:

- Built-in cool white LED lighting (7000K)
- All stainless steel, coved corner interior
- Heavy duty self-closing 24"W doors
- DynamicChill 360° Technology

Mug Frosters (Digital thermostat, all stainless steel interior, heavy duty doors with stainless steel handles with built-in locks)								
Mfg#	Length	Ext. Finish	Doors	Layers	Mug Cap'y 10 oz	HP	Full Load Amps	Weight
MC24B	24"	Black Vinyl	1	2	95	1/3	2.5	160 lbs
MC24S	24"	Stainless Steel	1	2	95	1/3	2.5	160 lbs
MC36B	36"	Black Vinyl	1	2	165	1/3	2.6	200 lbs
MC36S	36"	Stainless Steel	1	2	165	1/3	2.6	200 lbs
MC48B	48"	Black Vinyl	2	2	240	1/3	2.7	260 lbs
MC48S	48"	Stainless Steel	2	2	240	1/3	2.7	260 lbs
FMC24-SN-R	24"	Stainless Steel	1	2	90	1/3	2.5	220 lbs

Bottle Coolers (All stainless steel coved corner interior, available in stainless steel or black vinyl, heavy duty doors & center bar construction)								
Mfg#	Length	Ext. Finish	Doors	Case Cap'y 12 oz Bottle	Divider Racks	HP	Amps	Weight
BC24-BG	24"	Black Vinyl	1	6	1	1/5	1.53	185 lbs
BC24-SS	24"	Stainless Steel	1	6	1	1/5	1.53	185 lbs
BC36-BG	36"	Black Vinyl	1	9.5	1	1/5	1.53	240 lbs
BC36-SS	36"	Stainless Steel	1	9.5	1	1/5	1.53	240 lbs
BC48-BG	48"	Black Vinyl	2	15.5	2	1/4	2.18	295 lbs
BC48-SS	48"	Stainless Steel	2	15.5	2	1/4	2.18	295 lbs
BC72-BG	72"	Black Vinyl	2	25.5	2	1/4	2.53	410 lbs
BC72-SS	72"	Stainless Steel	2	25.5	2	1/4	2.53	410 lbs
BC96-BG	96"	Black Vinyl	3	37	3	1/3	2.71	455 lbs
BC96-SS	96"	Stainless Steel	3	37	3	1/3	2.71	455 lbs




Program Details

- "SBQS" code must be in subject line of PO email AND on the PO. Orders without the "SBQS" code in the subject line of the email will be processed as a standard order. Gas hoses, oven racks, casters & legs are the ONLY accessories that can be added and still qualify for quick ship. Modifications to base models will result in a standard lead time for the order. Standard freight rates apply, lift gate is an additional charge.
- "SBQS" orders will ship within 48 hours of receipt of PO. Orders must be sent to sbpo@southbendnc.com to ensure timely processing.
- Maximum of 2 "SBQS" items can ordered on a single PO.

Ranges	
Mfg#	Desc
4361D	Ultimate 6 Burner Range, Standard Oven, Natural Gas
4361A	Ultimate 6 Burner Range, Convection Oven, Natural Gas
4601DD	Ultimate 10 Burner Range, 2 Standard Ovens, Natural Gas
P36D-BBB	Platinum 6 Burner Range, Standard Oven, Natural Gas
P36A-BBB	Platinum 6 Burner Range, Convection Oven, Natural Gas
Convection Ovens	
Mfg#	Desc
SLGS/12SC	Silverstar Single Gas, Natural Gas
SLGS/22SC	Silverstar Double Gas, Natural Gas
SLES/10SC	Silverstar Single Electric, 208v/3ph
SLES/20SC	Silverstar Double Electric, 208v/3ph

Counterline	
Mfg#	Desc
HDC-36	36" Heavy Duty Charbroiler, Natural Gas
HDG-36	36" Heavy Duty Thermostatic Griddle, Natural Gas
Broilers	
Mfg#	Desc
270	Infrared Double Deck Broiler, Natural Gas

©2024 Edward Don & Company. We reserve the right to correct printing errors.

For California customers: To find out if an item falls under Prop 65, log into your account at don.com and look for the **Prop 65 warning icon**  displayed next to the product. Prop 65 warnings are only required in the state of California.